



HUMIC ACID ENHANCER

A NUTRIENT PACKAGE WITH BIOLOGICAL ACTIVITY

READ ENTIRE CONTAINER LABEL BEFORE USING THIS PRODUCT

GUARANTEED ANALYSIS:

Total Nitrogen (N)..... 0.05%
 0.015% Ammoniacal Nitrogen
 0.035% Urea Nitrogen
 Soluble Potash (K₂O)..... 0.70%

Derived from chicken compost.

ALSO CONTAINS NON-PLANT FOOD INGREDIENTS
1.00% humic acid derived from leonardite.

NET WEIGHT: 8.46 lbs./gallon

* Continue irrigation 1 hour after application to reduce risk of phytotoxicity and to facilitate product movement.

INCOMPATIBILITIES

Do not exceed a 50 percent mix with N-P-K fertilizers or CAL PLUS unless diluted with sufficient amounts of water to ensure ease of mixing and application. Always jar test newly attempted mixes. No other known incompatibilities. Avoid strongly acidic conditions. Do not mix with Aqua Ammonia, Sulfuric Acid, Urea Sulfuric Acid or soil fumigants.

STORAGE

Storage in a cone-bottomed tank to facilitate agitation is recommended. When stored in cone-bottomed tank, agitate 10 minutes before shipment. When stored in a flat-bottom tank, agitate 1 hour before shipment. Avoid air blast agitation as foaming will result. If foaming does occur through normal agitation, use a quality defoamer. Agitation is recommended once every month. Agitation prior to product transfer and shipment is required. Storage for longer than 12 months is not recommended.

HANDLING

Follow appropriate safety procedures. Skin contact may cause temporary staining. In case of accidental exposure, flush with plenty of water. Product is non-hazardous.

SHAKE WELL BEFORE USING

CONDITIONS OF SALE AND WARRANTY

1. Seller warrants that this material conforms to the chemical description on the label and is reasonably fit for use as directed hereon, Seller neither makes nor authorizes any agent or representative to make, any other warranty of FITNESS or of MERCHANTABILITY, guarantee or representation, express or implied, concerning this material.
2. Critical and unforeseeable factors beyond seller's control prevent it from eliminating all risks in connection with the use of chemicals. Such risks include, but are not limited to damage to plants and crops to which the material is applied, lack of complete control, and damage caused by drift to other plants or crops. Such risks occur even though the product is reasonably fit for the uses stated hereon, and even though label directions are followed. Buyer and user acknowledge and assume all risks and liability (except those assumed by seller under 1. above) resulting from handling, storage and use of the material.

NET CONTENTS: ___ BULK ___ GALLONS

KEEP OUT OF REACH OF CHILDREN

CAUTION

**This product is intended for
AGRICULTURAL USE ONLY**

For handling and first aid precautions please see Material Safety Data Sheet (MSDS).

STATE OF WASHINGTON

Information received by the Washington State Department of Agriculture regarding the components in this product is available on the internet at <http://www.wa.gov/agr/>

DIRECTIONS FOR USE

Apply as a broadcast, banded, shanked or injected application (see directions for application). As the use of HUMIC ACID ENHANCER may affect crop nutrient response, timing and frequency of fertilizer applications should be based upon crop nutrition monitoring (tissue testing, post-harvest soil testing). Where warranted, adjust fertilizer rates and replace with a minimum of a 1:1 ratio of up to 15 gallons of HUMIC ACID ENHANCER per/acre/application. Use 20-40 gallons per acre in a minimum of two applications during the growing season, or as needed. Split applications should apply the majority of the material in the first application (2/3 of seasonal use), and the balance during the growing season (1/3). Example: Apply 30 gallons per acre per season in a minimum of two applications. The first application (primary inoculant), of 20 gallons should be applied prior to, or at planting. Subsequent (maintenance) applications of 5-10 gallons can be made through the most convenient application means (water run, or side dress).

DIRECTIONS FOR APPLICATION

	Field/row crops Gallons/Acre	Tree Vine Crops Gallons/Acre
Broadcast	15	15
Under seed	5	--
Side dress	3-5	10
Water run	3-15	15
Sprinkler*	10	5-10

Manufactured for:
WESTERN FARM SERVICE, INC.
P. O. Box 1168
Fresno CA 93715